

Table 18C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
New York

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁷⁾	
		Low		High	Short Stature ⁽⁵⁾	Under- weight ⁽⁶⁾	Over- weight ⁽⁶⁾	≥ 2 Yrs Overweight ⁽⁶⁾					
		Number	% <2500 g	% >4000 g				Number	% <5th	% <5th	% ≥95th		
White, Not Hispanic	2005	15,527	8.3	9.0	122,668	5.3	6.5	10.6	57,276	16.2	12.4	82,929	11.2
	2004	11,370	7.1	9.7	117,817	5.3	5.8	11.6	54,988	16.5	13.6	78,792	11.9
	2003	21,041	6.8	10.1	113,680	5.4	6.2	12.1	53,487	16.4	13.5	76,591	12.0
	2002	20,760	6.6	10.2	115,559	5.2	6.5	11.6	53,056	16.0	13.1	78,075	12.3
	2001	14,816	6.7	10.8	114,234	5.2	6.2	11.7	55,096	15.6	12.5	85,883	12.5
	2000	19,935	7.4	11.1	119,267	5.1	6.1	12.0	57,275	15.8	12.5	89,965	12.3
	1999	17,146	7.8	10.5	104,910	5.0	6.1	10.6	52,370	15.0	11.3	87,216	10.8
	1998	26,807	7.8	11.0	138,620	5.0	6.2	10.3	67,154	15.2	10.7	114,788	11.2
	1997	26,465	8.1	10.6	140,940	5.3	6.2	10.2	68,630	15.0	10.3	117,436	10.8
	1996	25,648	7.5	10.9	142,746	5.4	6.3	9.8	69,608	14.7	10.1	119,643	10.7
Black, Not Hispanic	2005	14,381	13.1	5.4	108,677	3.8	8.9	11.2	48,736	14.9	13.8	73,598	15.9
	2004	9,601	10.1	5.9	109,340	4.0	8.2	12.0	47,710	15.7	15.1	73,524	17.5
	2003	16,842	10.2	6.1	103,813	4.2	8.4	12.2	44,631	15.7	15.2	69,660	18.9
	2002	15,951	10.0	6.2	108,010	4.5	8.8	12.0	44,139	14.9	15.1	72,085	19.9
	2001	13,837	9.3	6.8	108,045	4.8	8.0	12.8	48,237	15.4	14.6	82,372	19.4
	2000	26,576	11.8	6.7	116,332	4.6	8.1	12.4	51,094	15.2	14.5	88,228	18.6
	1999	24,528	12.0	6.6	110,992	4.5	8.2	12.0	50,047	15.1	13.6	88,420	19.8
	1998	28,674	11.9	6.4	130,050	4.5	8.2	11.7	59,122	14.7	13.1	105,199	19.6
	1997	26,551	12.3	6.3	129,773	4.8	8.2	11.5	59,973	14.2	12.5	107,138	19.4
	1996	25,276	12.3	6.8	128,497	5.1	8.0	11.9	58,745	14.2	12.5	107,228	19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
New York

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
		Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
Hispanic	2005	20,803	8.0	6.7	158,636	3.4	6.5	15.0	70,811	18.1	20.1	109,197	10.7
	2004	13,866	6.4	7.9	152,027	3.7	6.0	16.0	66,945	18.6	21.2	104,036	11.9
	2003	23,808	6.3	7.9	138,508	3.8	6.2	16.4	59,926	17.9	21.9	94,787	12.9
	2002	22,426	6.3	8.2	139,779	4.1	6.7	16.2	57,767	17.6	22.4	96,176	13.9
	2001	18,239	6.2	8.4	138,229	4.3	5.8	17.4	61,893	17.9	21.9	108,516	13.8
	2000	29,008	7.4	8.3	140,199	4.1	6.1	17.1	63,402	18.1	21.9	111,045	13.2
	1999	26,632	7.5	8.3	129,404	3.8	6.4	16.5	60,118	17.8	21.4	104,506	14.9
	1998	27,051	8.2	8.3	139,184	3.9	6.6	16.6	65,563	17.6	20.9	115,182	14.5
	1997	26,032	8.5	7.6	138,239	4.0	6.3	16.7	65,050	17.2	20.8	115,636	14.3
	1996	24,680	8.2	8.1	138,197	4.3	6.0	17.5	64,611	17.6	21.3	116,816	13.9
American Indian/Alaskan Native	2005	608	9.7	4.9	1,606	3.9	11.7	10.6	550	18.5	14.5	864	12.0
	2004	38	*	*	706	4.0	5.4	17.0	386	18.7	20.7	488	17.0
	2003	101	5.9	18.8	886	5.2	5.6	17.2	535	13.8	20.4	648	17.0
	2002	116	5.2	13.8	1,175	4.3	7.4	14.5	749	16.6	16.7	891	12.2
	2001	165	5.5	8.5	1,782	4.0	7.4	13.6	1,100	14.9	15.2	1,445	13.6
	2000	429	10.7	8.4	2,904	4.4	8.5	12.3	1,592	16.0	13.8	2,286	13.1
	1999	316	11.1	7.9	1,642	4.9	11.3	10.7	813	13.0	11.6	1,326	12.7
	1998	365	9.6	9.9	1,914	5.1	12.0	10.4	856	13.9	10.4	1,592	12.9
	1997	468	10.0	7.5	2,031	5.8	12.2	9.1	802	14.3	11.5	1,605	11.2
	1996	548	12.2	6.4	1,876	5.1	11.4	10.6	708	14.8	13.4	1,394	12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2005 Pediatric Nutrition Surveillance (1)
New York

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian/Pacific Islander	2005	4,629	7.4	4.8	31,115	3.2	11.0	7.9	13,035	13.5	11.2	19,993	8.7
	2004	2,204	7.4	5.9	29,384	3.2	10.5	8.1	11,782	13.4	11.8	18,411	10.0
	2003	3,974	7.9	5.0	26,394	3.2	10.6	8.3	10,468	13.6	12.3	16,620	10.2
	2002	3,143	7.0	5.3	26,135	3.6	10.9	8.9	9,999	12.7	13.3	16,528	10.8
	2001	2,790	7.1	5.8	24,499	3.8	10.0	9.1	10,567	12.8	12.6	18,618	11.1
	2000	6,467	6.8	6.0	25,418	3.9	10.9	8.6	11,297	13.1	12.2	18,874	10.9
	1999	5,549	7.1	5.7	22,928	3.6	11.2	8.4	10,233	12.5	11.7	17,459	12.0
	1998	5,653	8.0	5.3	23,447	4.0	11.4	8.2	10,125	12.6	11.5	18,170	11.0
	1997	5,290	8.1	6.1	21,656	4.2	11.3	8.2	9,156	13.3	11.3	16,696	10.4
	1996	4,378	7.0	5.7	19,192	4.6	11.1	8.6	8,180	13.1	11.7	15,054	10.5
Multiple Races	2005	807	8.3	7.1	1,813	4.0	11.8	10.2	531	15.8	16.0	1,055	12.6
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*
	1997	0	*	*	0	*	*	*	0	*	*	0	*
	1996	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2005 Pediatric Nutrition Surveillance ⁽¹⁾
New York

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁷⁾	
		Low		High	Short Stature ⁽⁵⁾	Under- weight ⁽⁶⁾	Over- weight ⁽⁶⁾	≥ 2 Yrs Overweight ⁽⁶⁾					
		Number	% <2500 g	% >4000 g				Number	% <5th	% <5th	% ≥95th		
All Other/Unknown	2005	524	9.4	6.7	15,791	4.2	8.3	11.3	6,868	14.1	13.9	9,882	13.1
	2004	2,896	8.0	7.9	26,536	4.2	8.2	11.3	10,258	15.7	14.5	16,668	13.8
	2003	4,973	8.1	8.5	25,824	4.8	8.4	12.1	9,595	15.4	15.0	16,048	14.3
	2002	4,922	8.2	8.1	28,066	4.8	8.9	11.9	10,268	14.2	15.7	17,257	14.6
	2001	3,493	7.2	8.4	23,633	4.9	8.2	12.6	9,345	14.1	15.2	16,461	14.6
	2000	4,525	8.9	8.2	15,549	4.8	7.9	12.2	5,176	15.5	14.6	10,057	16.0
	1999	3,925	9.4	8.5	12,583	4.8	7.7	10.9	3,908	14.7	13.5	8,498	15.7
	1998	5,191	8.8	9.1	14,915	5.1	7.5	11.2	4,659	15.1	13.8	10,120	17.1
	1997	4,790	9.6	8.1	14,287	5.2	7.8	10.9	4,626	15.5	13.4	9,672	15.4
	1996	3,989	10.1	7.8	14,192	5.4	7.4	11.9	4,799	15.4	13.6	10,271	14.5
Total All Race/Ethnic Groups	2005	57,279	9.3	6.8	440,306	4.0	7.6	12.2	197,807	16.3	15.5	297,518	12.1
	2004	39,975	7.6	7.8	435,810	4.2	7.0	13.0	192,069	16.8	16.6	291,919	13.3
	2003	70,739	7.6	8.0	409,105	4.4	7.2	13.4	178,642	16.5	16.8	274,354	14.1
	2002	67,318	7.4	8.2	418,724	4.5	7.6	13.1	175,978	16.0	16.8	281,012	14.9
	2001	53,340	7.3	8.5	410,422	4.7	6.9	13.8	186,238	16.1	16.3	313,295	14.8
	2000	86,940	8.8	8.3	419,669	4.5	7.0	13.6	189,836	16.2	16.2	320,455	14.4
	1999	78,096	9.1	8.1	382,459	4.3	7.2	12.9	177,489	15.8	15.4	307,425	15.0
	1998	93,741	9.2	8.4	448,130	4.5	7.2	12.6	207,479	15.7	14.7	365,051	14.8
	1997	89,596	9.5	8.0	446,926	4.7	7.1	12.5	208,237	15.4	14.3	368,183	14.5
	1996	84,519	9.3	8.4	444,700	4.9	7.0	12.8	206,651	15.4	14.5	370,406	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.